

: 07.04.2017

: 07.04.2017

1

· 1.1

TS361

: **FIN ACR TRASP 65 GLOSS**

· 1.2.

· 1.3

IVM Chemicals Srl

Viale della Stazione 3 -27020 Parona (PV)Italy -Tel +39 038425441

Environmental Health and safety office  
hseoffice@ivmchemicals.com

· 1.4

8.30 17.30 0039 038 425 441

: 0039 0384 254491

2

· 2.1

( ) 1272/2008



Flam. Liq. 2 H225



Repr. 2 H361d  
STOT RE 2 H373



Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
STOT SE 3 H336

· 2.2

(EC) 1272/2008

(CLP).



GHS02



GHS07



GHS08

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

toluene  
ethyl acetate  
xylene  
isobutyl acetate

H225  
H315  
H319  
H361d  
H336  
H373

P210

P241

P303+P361+P353

P305+P351+P338

P405

P501

EUH208

methyl methacrylate, 2-hydroxyethyl methacrylate.

2.3

PBT (

) vPvB

PBT:

vPvB:

**3**

3.2

CAS: 108-88-3 EINECS: 203-625-9 Reg.nr.: 01-2119471310-51-XXXX	toluene Flam. Liq. 2, H225 Repr. 2, H361d; STOT RE 2, H373; Asp. Tox. 1, H304 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H336 Aquatic Chronic 3, H412	20-<25%
CAS: 141-78-6 EINECS: 205-500-4 Reg.nr.: 01-2119475103-46-XXXX	ethyl acetate Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336	15-19,99%

3)  
RU

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

CAS: 110-19-0 EINECS: 203-745-1 Reg.nr.: 01-2119488971-22-XXXX	isobutyl acetate ⚠ Flam. Liq. 2, H225 ⚠ STOT SE 3, H336	10-14,99%
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32-XXXX	xylene ⚠ Flam. Liq. 3, H226 ⚠ STOT RE 2, H373; Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	10-14,99%
CAS: 123-86-4 EINECS: 204-658-1 Reg.nr.: 01-2119485493-29-XXXX	n-butyl acetate ⚠ Flam. Liq. 3, H226 ⚠ STOT SE 3, H336	5-9,99%
CAS: 108-65-6 EINECS: 203-603-9 Reg.nr.: 01-2119475791-29-XXXX	2-methoxy-1-methylethyl acetate ⚠ Flam. Liq. 3, H226	2,5-4,99%
CAS: 100-41-4 EINECS: 202-849-4 Reg.nr.: 01-2119488216-32-XXXX	ethylbenzene ⚠ Flam. Liq. 2, H225 ⚠ STOT RE 2, H373; Asp. Tox. 1, H304 ⚠ Acute Tox. 4, H332	1-2,499%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-XXXX	propan-2-ol ⚠ Flam. Liq. 2, H225 ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	1-2,499%
CAS: 80-62-6 EINECS: 201-297-1 Reg.nr.: 01-2119452498-28-XXXX	methyl methacrylate ⚠ Flam. Liq. 2, H225 ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	0,5-<1%
CAS: 868-77-9 EINECS: 212-782-2 Reg.nr.: 01-2119490169-29-XXXX	2-hydroxyethyl methacrylate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	0,1-<0,5%

16.

**4**

**4.1**

48

20

4)

RU

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

· 4.2  
· 4.3

**5**

· 5.1  
· 5.2  
· 5.3

**6**

· 6.1  
· 6.2  
· 6.3  
· 6.4

**7**

· 7.1

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

( 4)

· 7.2

· 7.3

8

( )

**8**

· 8.1

<b>108-88-3 toluene</b>	
PDK	: 150 /m <sup>3</sup> : 50 /m <sup>3</sup>
<b>141-78-6 ethyl acetate</b>	
PDK	: 200 /m <sup>3</sup> : 50 /m <sup>3</sup>
<b>1330-20-7 xylene</b>	
PDK	: 150 /m <sup>3</sup> : 50 /m <sup>3</sup>
<b>123-86-4 n-butyl acetate</b>	
PDK	: 200 /m <sup>3</sup> : 50 /m <sup>3</sup>
<b>108-65-6 2-methoxy-1-methylethyl acetate</b>	
PDK	: 10 /m <sup>3</sup>
<b>100-41-4 ethylbenzene</b>	
PDK	: 150 /m <sup>3</sup> : 50 /m <sup>3</sup>

( 6)

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

( 5)		
<b>67-63-0 propan-2-ol</b>		
PDK	: 50 /m <sup>3</sup> : 10 /m <sup>3</sup>	/
<b>80-62-6 methyl methacrylate</b>		
PDK	: 20 /m <sup>3</sup> : 10 /m <sup>3</sup>	/
<b>DNEL</b>		
<b>108-88-3 toluene</b>		
( )	DNEL acuto/agudo/ostre/ aigu/acute/akut	384 /mc ( )
	DNEL	192 /mc ( )
<b>141-78-6 ethyl acetate</b>		
( )	DNEL	4,5 / bw/d (popolazione)
( )	DNEL acuto/agudo/ostre/ aigu/acute/akut	1468 /mc ( )
	DNEL	734 /mc (popolazione)
	DNEL	734 /mc ( )
	DNEL	367 /mc (popolazione)
	DNEL	63 / bw/d ( )
		37 / bw/d (popolazione)
<b>110-19-0 isobutyl acetate</b>		
( )	DNEL	243 /mc ( )
	DNEL	4,95 / bw/d ( )
<b>1330-20-7 xylene</b>		
( )	DNEL acuto/agudo/ostre/ aigu/acute/akut	289 /mc ( )
	DNEL	77 /mc ( )
	DNEL	180 / bw/d ( )
<b>123-86-4 n-butyl acetate</b>		
( )	DNEL acuto/agudo/ostre/ aigu/acute/akut	960 /mc ( )
	DNEL	859,7 /mc (popolazione)
	DNEL	480 /mc ( )
		102,34 /mc (popolazione)
<b>108-65-6 2-methoxy-1-methylethyl acetate</b>		
( )	DNEL	275 /mc ( )
	DNEL	153,5 / bw/d ( )

7)

RU

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

		6)	
<b>100-41-4 ethylbenzene</b>			
( )	DNEL acuto/agudo/ostre/ aigu/acute/akut	293 /mc ( )	
	DNEL	77 /mc ( )	
	DNEL	1 8 0 / b w / d ( )	
<b>67-63-0 propan-2-ol</b>			
( )	DNEL	26 / bw/d (popolazione)	
( )	DNEL	500 /mc ( )	
		89 /mc (popolazione)	
	DNEL	8 8 8 / b w / d ( )	
		3 1 9 / b w / d (popolazione)	
<b>868-77-9 2-hydroxyethyl methacrylate</b>			
( )	DNEL	1 , 3 / b w / d ( )	
( )	DNEL	4,9 /mc ( )	
<b>PNEC</b>			
<b>108-88-3 toluene</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,68 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	2,89 / ( )		
<b>141-78-6 ethyl acetate</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,26 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	0,24 / ( )		
<b>110-19-0 isobutyl acetate</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,17 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	0,0755 / ( )		
<b>1330-20-7 xylene</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,327 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	2,31 / ( )		
<b>123-86-4 n-butyl acetate</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,18 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	0,0903 / ( )		
<b>108-65-6 2-methoxy-1-methylethyl acetate</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,635 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	0,29 / ( )		
<b>100-41-4 ethylbenzene</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,1 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	2,68 / ( )		
<b>67-63-0 propan-2-ol</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	140,9 /L ( )		
PNEC Suolo/earth/suelo/sol/gleba/	28 / ( )		
<b>868-77-9 2-hydroxyethyl methacrylate</b>			
PNEC Acqua dolce/water/woda ska/eau/agua	0,482 /L ( )		

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

PNEC Suolo/earth/suelo/sol/gleba/

0,476 / (L)

7)

8.2



/  
EN 374

89/686/



RU

9)





**TS361**  
**: FIN ACR TRASP 65 GLOSS**

( 9)

· 9.2 : 22,0 %

**10**

· 10.1

· 10.2

· 10.3

· 10.4

· 10.5

· 10.6

**11**

· 11.1

LD/LC50 ( / ),

**108-88-3 toluene**

( )	LD50	5000 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	12124 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	25,7 / (rat/szczur/mouse/souris/Maus/rat n)

**141-78-6 ethyl acetate**

( )	LD50	4934 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LD50	20001 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	1600 / (rat/szczur/mouse/souris/Maus/rat n)
	LC0	22,6 ppm (mouse)

**110-19-0 isobutyl acetate**

( )	LD50	13400 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	17401 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	31 / (rat/szczur/mouse/souris/Maus/rat n)

**1330-20-7 xylene**

( )	LD50	3523 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	1701 / (rabbit/kr lik/Kaninchen/conejo/lapin)

( 11)

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

<b>123-86-4 n-butyl acetate</b>		
( )	LD50	10760 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	14000 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	21,1 / (rat/szczur/mouse/souris/Maus/rat n)
<b>108-65-6 2-methoxy-1-methylethyl acetate</b>		
( )	LD50	8532 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	5001 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	35,7 / (rat/szczur/mouse/souris/Maus/rat n)
<b>100-41-4 ethylbenzene</b>		
( )	LD50	3500 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	15486 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	17,2 / (rat/szczur/mouse/souris/Maus/rat n)
<b>67-63-0 propan-2-ol</b>		
( )	LD50	4710 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	12800 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	72,6 / (rat/szczur/mouse/souris/Maus/rat n)
<b>80-62-6 methyl methacrylate</b>		
( )	LD50	7872 / (rat/szczur/mouse/souris/Maus/rat n)
( )	LD50	5001 / (rabbit/kr lik/Kaninchen/conejo/lapin)
( )	LC50/4	78 / (rat/szczur/mouse/souris/Maus/rat n)
<b>868-77-9 2-hydroxyethyl methacrylate</b>		
( )	LD50	5050 / (rat/szczur/mouse/souris/Maus/rat n)

**12**

**12.1**

<b>108-88-3 toluene</b>	
EC50	134 / ( ) (3 .)
	3,78 / (daphnia) (48 .)
	58 / ( )
<b>141-78-6 ethyl acetate</b>	
EC50	165 / (daphnia) (48 .)
LC50 (96 .)	230 / ( )
<b>110-19-0 isobutyl acetate</b>	
EC50	370 / ( ) (72 .)
	25 / (daphnia)
LC50 (96 .)	17 / ( )

( 12)

RU

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

<b>123-86-4 n-butyl acetate</b>	
EC50	648 / ( ) (72 .)
	44 / (daphnia) (48 .)
LC50 (96 .)	18 / ( )
<b>108-65-6 2-methoxy-1-methylethyl acetate</b>	
EC50	1001 / ( ) (72 .)
	501 / (daphnia) (48 .)
LC50 (96 .)	134 / ( )
<b>100-41-4 ethylbenzene</b>	
EC50	75 / (daphnia) (48 .)
<b>67-63-0 propan-2-ol</b>	
EC50	1001 / ( ) (72 .)
	10000 / (daphnia) (24 .)
LC50 (96 .)	9640 / ( )
<b>80-62-6 methyl methacrylate</b>	
EC50	170 / ( ) (72 .)
LC50 (96 .)	191 / ( )
<b>868-77-9 2-hydroxyethyl methacrylate</b>	
LC50 (96 .)	240 / ( )

· 12.2

Toluene CAS n. 108-88-3  
OECD)

· 12.3

· 12.4

2 ( - ):

· 12.5

PBT (

) vPvB (

· PBT:

· vPvB:

· 12.6

**13**

· 13.1

080111

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

( 12)

**14**

**· 14.1 UN**

· ADR, IMDG, IATA

UN1263

**· 14.2**

· ADR

· IMDG, IATA

UN1263  
PAINT

, 640D

**· 14.3**

· ADR, IMDG, IATA



3  
3

**· 14.4**

· ADR, IMDG, IATA

II

**· 14.5**

**· 14.6**

· EMS: ( ):  
· Stowage Category

33  
F-E, S-E  
B

**· 14.7**

**MARPOL73/78 (**

**II**

**) IBC Code (**

**)**

· ADR

(LQ)

5L

(EQ)

: E2

: 30

: 500

2

D/E

( 14)

: 07.04.2017

: 07.04.2017

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

( 13)

**· IMDG**

· *Limited quantities (LQ)*

· *Excepted quantities (EQ)*

5L

Code: E2

Maximum net quantity per inner packaging: 30

Maximum net quantity per outer packaging: 500

· *UN "Model Regulation":*

UN 1263

640D, 3, II

**15**

· **15.1**

1907/2006 1272/2008  
2012/18/EU

1: 5000

2: 50000

· **P**

· **15.2**

**16**

H225

H226

H304

H312

H315

H317

H319

H332

H335

H336

H361d

H373

H412

: IVM Chemicals Srl

: Carlo Porta

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

( 15)

**TS361**  
**: FIN ACR TRASP 65 GLOSS**

( 14)

EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 DNEL: Derived No-Effect Level (REACH)  
 PNEC: Predicted No-Effect Concentration (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 2: Flammable liquids . Category 2  
 Flam. Liq. 3: Flammable liquids . Category 3  
 Acute Tox. 4: Acute toxicity . Category 4  
 Skin Irrit. 2: Skin corrosion/irritation . Category 2  
 Eye Irrit. 2: Serious eye damage/eye irritation . Category 2  
 Skin Sens. 1: Skin sensitisation . Category 1  
 Repr. 2: Reproductive toxicity . Category 2  
 STOT SE 3: Specific target organ toxicity (single exposure) . Category 3  
 STOT RE 2: Specific target organ toxicity (repeated exposure) . Category 2  
 Asp. Tox. 1: Aspiration hazard . Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard . Category 3

1272/2008/EC

ECHA -

INRS Fiche Toxicologique

.\*